

1  
A CONCLUD-  
Provisional Application Serial No. 60/089,964, filed June 19, 1998, the disclosures of which are hereby incorporated by reference in their entirety.

---

In the Claims:

Please cancel claims 1-46 without prejudice. Please add the following new claim set:

---

47 93. (New) A process for reducing an immune response of effector cells against an alloantigen, comprising contacting effector cells with mesenchymal stem cells in an amount effective to reduce an immune response against an alloantigen whereby said effector cells upon contact with an alloantigen have a reduced immune response against said alloantigen.

48 94. (New) The process of claim 93 wherein said effector cells are T cells.

49 95. (New) The process of claim 94 wherein the T cells are from the donor and the alloantigen is from the recipient.

50 96. (New) The process of claim 94 wherein the T cells are from the recipient and the alloantigen is from the donor.

51 97. (New) The process of claim 94 wherein said T cells are present in a transplant.

52 98. (New) The process of claim 94 wherein said mesenchymal stem cells are administered to a transplant recipient suffering from graft-versus-host disease.

53 99. (New) The process of claim 94 wherein prior to said administration said mesenchymal stem cells (MSCs) have been expanded in culture.

<sup>54</sup>  
~~100.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein said effector cells are T cells previously activated and said immune response is the reactivation of said T cells.

<sup>55</sup>  
~~101.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein the transplant is skin.

<sup>56</sup>  
~~102.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein the mesenchymal stem cells are administered to the transplant recipient to treat rejection of the transplant by the recipient.

<sup>57</sup>  
~~103.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein the mesenchymal stem cells are human mesenchymal stem cells.

<sup>58</sup>  
~~104.~~ (New) The process of claim ~~94~~<sup>48</sup> further comprising administering to the recipient immunosuppressive agents.

<sup>59</sup>  
~~105.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein the transplant is a solid organ.

<sup>60</sup>  
~~106.~~ (New) The process of claim 105 wherein the solid organ is selected from heart, pancreas, kidney, lung or liver.

<sup>61</sup>  
~~107.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein said mesenchymal stem cells are administered prior to said transplant.

<sup>62</sup>  
~~108.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein said mesenchymal stem cells are administered concurrently with said transplant.

<sup>63</sup>  
~~109.~~ (New) The process of claim ~~94~~<sup>48</sup> wherein said mesenchymal stem cells are administered as part of the transplant.

64 48  
110. (New) The process of claim ~~94~~ wherein the mesenchymal stem cells are administered subsequent to transplant.

65 48  
111. (New) The process of claim ~~94~~ wherein said mesenchymal stem cells are administered intravenously to the recipient.

66 48  
112. (New) The process of claim ~~94~~ wherein said effector cells are cells of a recipient of said donor transplant.

67 47  
113. The process of claim ~~93~~ wherein said mesenchymal stem cells are xenogeneic to the donor of the transplant.

68 47  
114. The process of claim ~~93~~ wherein said mesenchymal stem cells are xenogeneic to the recipient of the transplant.

69 47  
115. The process of claim ~~93~~ wherein said mesenchymal stem cells are xenogeneic to both the donor and the recipient of the transplant.

70 47  
116. (New) The process of Claim ~~93~~ wherein the mesenchymal stem cells have been co-cultured with T cells undergoing a mixed lymphocyte reaction.

71  
117. (New) A process for treating a transplant recipient for graft versus host disease, comprising treating the recipient of a donor transplant with mesenchymal stem cells in an amount effective to reduce an immune response against the recipient by the transplant.

72  
118. (New) A process for reducing an immune response against an alloantigen, comprising contacting immune effector cells with at least one member selected from the group consisting of xenogeneic mesenchymal stem cells and a supernatant of xenogeneic mesenchymal stem cells in an amount effective to reduce the immune response.

Rev 12/12  
R2 cont  
TDE 12/12

73  
119. (New) A composition for reducing an adverse immune response against a donor transplant, comprising a member selected from the group consisting of mesenchymal stem cells and a supernatant from a mesenchymal stem cell culture in an amount effective to inhibit or reduce an adverse immune response against a donor transplant, and a pharmaceutical carrier.

74 73  
120. (New) The composition of claim 119 wherein the mesenchymal stem cells are autologous to the recipient.

75 73  
121. (New) The composition of claim 119 wherein the mesenchymal stem cells are autologous to the donor.

76 73  
122. (New) The composition of claim 119 wherein the mesenchymal stem cells are allogeneic to both the recipient and the donor.

77 73  
123. (New) The composition of claim 119 wherein said mesenchymal stem cells are human mesenchymal stem cells.

78 73  
124. (New) The composition of claim 119 wherein the mesenchymal stem cells are xenogeneic to both the recipient and the donor.

79 73  
125. (New) The composition of claim 119 wherein said mesenchymal stem cells have been expanded in culture.

80  
126. (New) A composition for reducing an adverse immune response against a graft recipient caused by a graft, comprising a member selected from the group consisting of mesenchymal stem cells and a supernatant from a mesenchymal stem cell culture in an amount effective to reduce the adverse immune response against the graft recipient caused by the graft, and a pharmaceutical carrier.

81  
127. (New) The composition of claim 126 wherein the mesenchymal stem cells are autologous to the recipient.

Rule 126  
A2 cont.  
10067121.11111111

82  
128. (New) The composition of claim 126 wherein the mesenchymal stem cells are autologous to the donor.

83  
129. (New) The composition of claim 126 wherein the mesenchymal stem cells are allogeneic to both the recipient and the donor.

84  
130. (New) The composition of claim 126 wherein the mesenchymal stem cells are xenogeneic to both the recipient and the donor.

85  
131 123. (New) The composition of claim 119 wherein said mesenchymal stem cells are human mesenchymal stem cells.

86  
132 125. (New) The composition of claim 119 wherein said mesenchymal stem cells have been expanded in culture.

87  
133 126. (New) A process for reducing in a transplant recipient an immune response of effector cells against an alloantigen to the effector cells, comprising transplanting to the transplant recipient a transplant contacted, prior to transplantation, with tissue obtained from the transplant recipient and then contacted with a member selected from the group consisting of mesenchymal stem cells and a supernatant of a mesenchymal stem cell culture in an amount effective to reduce an immune response against the recipient by the donor transplant.

88  
134 127. (New) The process of claim 126, wherein the effector cells are T cells.

89  
135 128. (New) The process of claim 127, wherein the T cells are from the donor and the alloantigen is from the recipient.

90  
136 129. (New) The process of claim 127, wherein the T cells are from the recipient and the alloantigen is from the donor.